


Art. Nr. 2856900

1/21



10.01.2024

Art. Nr. 2856900


Groundplan - Grundplan - Plan de masse - Planimetria - Plattegrond - Planimetría - Põhiplaan

The diagram is a detailed architectural ground plan of a building. The overall dimensions are 385 units in width and 291 units in height. The plan is divided into several sections by thick black lines representing walls. Key dimensions include: a top horizontal section of 82,5 units, a central horizontal section of 220 units, a right vertical section of 62 units, and a bottom horizontal section of 20,5 units. The total height is 291 units, with a 21-unit top section and a 50-unit bottom section. The central area is labeled with a total area of 4.60 m². Other area calculations shown are 217,2, 59,2, 174,4, 124.7x149, 124.7x177.5, and 214,4. The plan includes four numbered circular markers (1, 2, 3, 4) and four lettered markers (A, B, C, D) indicating specific points or features. Arrows labeled w1, w2, w3, w4, wA, and wB indicate wind directions or flow. The plan also shows a curved line on the right side and a dashed line on the left side.


Art. Nr. 2856900

Groundplan - Grundplan - Plan de masse - Planimetria - Plattegrond - Planimetría - Põhiplaan


The diagram is a detailed architectural ground plan of a building. The overall dimensions are 385 units in width and 291 units in height. The plan is divided into several sections by walls and openings. Key dimensions include: a top width of 82,5 units, a central width of 220 units, a right-side width of 62 units, and a bottom-right corner width of 20,5 units. The height is divided into 21 units at the top, 220 units in the middle, and 50 units at the bottom. The plan features four main openings labeled w1, w2, w3, and w4. w1 is a vertical opening at the top center with a width of 217,2 units. w2 is a vertical opening on the right side with a width of 59,2 units. w3 is a vertical opening at the bottom right with a width of 174,4 units. w4 is a vertical opening at the bottom left with a width of 124,7 units. The area of the central rectangular section is 4.60 m2. The area of the right-side section is 124,7x14,9. The area of the bottom-right section is 124,7x177,5. The plan is divided into four horizontal sections labeled 1, 2, 3, and 4. The plan is also divided into four vertical sections labeled A, B, C, and D. The plan is drawn with thick black lines for walls and thin black lines for openings. The plan is oriented with the top edge horizontal.







Foundation - Fundament - Fondation - Fondamenta - Fundering - Bastidor
- Immutatud alusraam






Floor boards - Fussbodenbretter - Plan pose plancher - Pavimento - Vloerhout -
Tarima de suelo - Põrandalaudis


































Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Elementos - Tükitalabel 10.01.2024 Art. Nr. 2856900	8/21	Q	P (mm)	L (mm)
001 40399			46	28x114	2400
006 47614			28	28x114	700
010 47615			32	28x114	572
011 40403			2	28x57	2400
012 47616			2	28x114	2910
013 47558			1	28x57	2000
014 47559			26	28x114	372
015 47617			1	28x114	2910
W1-1 47618			1		
W2-1 47619			1		
W3-1 47619			1		
W4-1 47618			1		
IAR4 47620	Foundation - Fundament - Fondation - Fondamenta - Fundering - Bastidor - Immutatud alusraam 		3	45x45	2765
IAR2 4277	Foundation - Fundament - Fondation - Fondamenta - Fundering - Bastidor - Immutatud alusraam 		2	45x45	2190
IAR1 4254	Foundation - Fundament - Fondation - Fondamenta - Fundering - Bastidor - Immutatud alusraam 		1	45x45	1790
IAR3 47621	Foundation - Fundament - Fondation - Fondamenta - Fundering - Bastidor - Immutatud alusraam 		2	45x45	570
A-PR1 47622	Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Correa - Pärlin 		1	44x95	2910
FB-1 30659	Floor boards - Fussbodenbretter - Lame de plancher - Pavimento - Vloerhout - Tablero de suelo - Põrandalaud 		24	90x15.5	2140
FB-2 23026	Floor boards - Fussbodenbretter - Lame de plancher - Pavimento - Vloerhout - Tablero de suelo - Põrandalaud 		7	90x15.5	1740
RB-1 13175	Roof boards - Dachbretter - Voliges - Perlina per tetto - Dakhout - Tablero de tejado - Katuselaud 		66	90x15.5	2050
FL-1 30087	Floor fillet - Fussbodenteiste - Corniere de finition du plancher - Finitura per pavimento (battisco pa) - Vloerafwerkljst - Rodapié - Põrandaliist 			18x18	14

Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Elementos - Tükítabel 10.01.2024 Art. Nr. 2856900 9/21	Q	P (mm)	L (mm)
DPL-1 22469	Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Moldura de fieltro para tejado - Katusepapiliist 	4	15x45	2100
FF-1 26285	Doorstep - Swelle - Seuil de porte - Callare - Drempe - Umbral para apertura de puerta - Låvepakk ukseavale 	1	18x18	1247
FF-2 47623	Railing strip - Begrenzungsleiste - Rembarde - Sbarra - Afscheidingslijst - Tablero limitador - Piirdelaud 	2	15x120	2910
FF-3 4264	Railing strip - Begrenzungsleiste - Rembarde - Sbarra - Afscheidingslijst - Tablero limitador - Piirdelaud 	2	15x90	2200
P-1 46722	Post - Pfosten - Poteau - Píede registrabile - Stijl - Poste - Post 	3	44x44	1670
DRV-1 47624	Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Refuerzo de aleros - Räästatugevdus 	2	15x45	2910
KFS-1 2249	Storm protection - Sturmleiste - Latte anti-tempete - Protezione anti vento - Stormverankering/beveiliging - Moldura antitormenta - Tormikinnitusliist 	4	22x45	2050
UT-1 47565	U-profile - U-profils - Profile u - Profilo ad u - U-profiel - Perfil en U - U-profiil 	2	52x40	1850
UT-2 47564	U-profile - U-profils - Profile u - Profilo ad u - U-profiel - Perfil en U - U-profiil 	2	52x40	1850
GL-1 47625	Gable moulding - Giebelleiste - Planche de rive - Finitura per frontale e retro del tetto - Gevellijst - Tablero de frontón - Viilulaud 	4	15x90	2100
HS8 5105	Screw for gable segment - Schrauben für deckblatt - Vis pour fixation losange de finition - Viti x frontali tetto - Schroef voor gevelpunt segment - Tornillo para rombo - Kruvi rombile 	4	3.5x35	
HS9 5106	Screw for gable moulding - Schrauben für giebelleiste - Vis pour fixation planche de rive - Vite per fissare finiture davanti e dietro del tetto - Schroef voor gevellijst - Tornillo para tablero de frontón - Kruvi viilulauale 	24	3.5x50	
HS4 5102	Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Tornillo para umbral - Kruvi låvepakule 	3	3x30	
HS4 5102	Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour fixation corniere renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor dakrand versterking - Tornillo para refuerzo de alero - Kruvi räästatugevdusele 	10	3x30	
HS10 5107	Screw for sliding wall tie - Schieberegler für wand - Sabot métallique pour fixation mur - Vite per fissare scorrimento a c su slitta fissata alla parete - Schuifdeur instellingen wand - Tornillo para deslizador de pared - Kruvi seinaliugurite 	8	4x25	
HS12 5109	Screw for sliding wall tie - Schieberegler für wand - Sabot métallique pour fixation mur - Vite per fissare scorrimento a c su slitta fissata alla parete - Schuifdeur instellingen wand - Tornillo para deslizador de pared - Kruvi seinaliugurite 	4	4x40	
HS12 5109	Screw for u-profile - Schraube zur befestigung u-profils - Vis a tete fraisée pour profil u - Vite per profilo ad u - Schroef ter bevestiging u-profiel - Tornillo para perfil en U - Kruvi U-profiilile 	2	4x40	
HS13 5110	Screw for 1. wall beam - Schraube für 1. bohlenreihe - Vis de fixations 1ere rangée de madriers avec poutrelles de fondations - Vite fissaggio alle fondamenta - Schroef voor 1 wandbalk - Tornillo para medio tablero - Kruvi poollauale 	6	4x60	
HS18 5113	Screw for roof beams - Schrauben für dachbalken - Vis pour fixation pannes de toit - Viti per perline del tetto - Schroef voor gordingen / dakbalken - Tornillo para correas - Kruvi pärlinitele 	2	5x120	
HS18 5113	Screw for gable - Schrauben für giebel - Vis pour fixation des pignons - Viti per timpano - Schroef voor gevelpunt - Tornillo para fijación de frontones - Kruvi viilude kinnitamiseks 	4	5x120	
HS16 5115	Screw for foundation - Schrauben zur befestigung fundament - Vis de fixations des poutrelles de fondations - Viti x fondamenta - Schroef voor fundering - Tornillo para bastidor - Kruvi alusraamile 	5	5x90	

[illegible]



01

IAR4


IAR4

IAR4


IAR3

IAR1

HS16




02



10,5 cm

IAR

02




0,5 cm


IAR

03


HS13




!



Art. Nr. 2856900




04




HS4

FF-1



05


HS18




06

HS18


A-PR1






08


UT-2



08




07




08

UT-1



08




07

07

UT

HS12

08






08


DFS

HS10

WS








09

WS


HS12



DFS









10


HS16















16





17






Pos	29.01.2024	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 1247x1775 TUK.2.056.XVP.MM28d XGZ	1/2	Q	P (mm)	L (mm)
Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 430x620 mm					 1207x1755	
						
1	Doorstep - Swelle - Barre de seuil - Soglia della porta - Deurdorpel - Lävepakk				1	15x211246
2	Door jamb - Türrahmen - Cadre de porte - Telaio della porta - Deurframe - Ukse leng				2	52x401795
3	Upper door jamb - Türrahmen oben - Cadre de porte supérieur - Telaio superiore della porta - Bovendorpel - Ukse ülemine leng				1	52x401247
4	Fillet - Leiste - Lattes - Massello - Lijst - Liist				4	20x25684
5	Fillet - Leiste - Lattes - Massello - Lijst - Liist				4	20x25494
6	Fillet - Leiste - Lattes - Massello - Lijst - Liist				4	10x25684
7	Fillet - Leiste - Lattes - Massello - Lijst - Liist				4	10x25494
8	Glass - Glas - Vitre - Vetro - Glas - Klaas				2	
9	Covering moulding - Deckungsprofil - Profils de finition verticaux a fixer a l'exterieur du cadre de la porte - Cornice di finitura - Afdek profiel - Lengi piirdelaud				2	18x901287



[illegible]










Pos	29.01.2024	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel 124 7x14 90 TUL.1.100.IVP.MM28a TZ	1/2	Q	P (mm)	L (mm)
-----	------------	---	-----	---	-----------	-----------



1207x1470

1	Doorstep - Swelle - Barre de seuil - Soglia della porta - Deurdorpel - Lävopak 	1	15x21	1246
2	Door jamb - Türrahmen - Cadre de porte - Telaio della porta - Deurframe - Ukse leng 	2	52x40	1510
3	Upper door jamb - Türrahmen oben - Cadre de porte supérieur - Telaio superiore della porta - Bovendorpel - Ukse ülemine leng 	1	52x40	1247
4	Covering moulding - Deckungsprofil - Profils de finition verticaux a fixer a l'exterieur du cadre de la porte - Cornice di finitura - Afdek profiel - Lengi piirdelaud 	2	18x90	1287
HS7	Screw for padlock hasp - Schrauben für panzer überfalle - Vis pour loquet pour cadenas - Viti per lucchetto a fermaglio - Schroef tbv slot - Kruvi tabakrambile 	7	3.5x20	
HS2	Screw for covering moulding - Schrauben für deckungsprofil - Vis de fixation profils horizontaux haut inférieur et extérieur d'encadrement de porte - Vite per cornice di copertura - Schroef voor afdekprofiel - Kruvi piirdelauale 	6	2.5x25	
HS9	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile 	2	3.5x50	

[illegible]

